

Reading: OpenStax, Chapter 29, Sections 29.1-29.6 (for this lecture and next)

Exam 3: Monday, November 23rd (details to follow)


Previously: **Cosmology I - The Age of the Universe and the Big Bang**

- Cosmology - answering questions about the origin of the Universe and answering them using observations
- Independent measurements all yield an age of the Universe of about 13.5 billion years
- Time began with a hot Big Bang - expansion and cooling until today
- The Big Bang makes several predictions that can be tested




Today: **Cosmology II - The Big Bang and its aftermath**

- Remnant radiation produces a cosmic microwave background
- Small density fluctuations needed to make galaxy clusters were present in the very early universe
- A very “Inflation” epoch is needed to make the post-Big Bang expanding universe look like what we see today


The earliest moments of the Big Bang



The earliest moments of the Big Bang



copyright © 2004 Pearson Education, publishing as Addison Wesley.




son Education, publishing as Addison Wesley.

Energy (radiation) and mass were in equilibrium

Testing the Big Bang Idea


- **Big Bang Nucleosynthesis**
 - production of light elements in the early Universe
- **Remnant radiation from primeval fireball**
 - universal background radiation
- **Origin of Cosmic Structures**
 - formation of galaxies and huge superclusters in an expanding Universe

Big Bang Nucleosynthesis




10^{-2} seconds

(a)



3 minutes

(b)



300,000 to 700,000 years

(c)

Big Bang Nucleosynthesis

- **Earliest minutes**


- H, deuterium
- He^3 , He^4

- **Expansion and cooling**

- halts further fusion

- **net Big Bang production**

- $\sim 75\%$ Hydrogen
- $\sim 25\%$ Helium
- $< 0.1\%$ lithium, beryllium, etc.



- **Matches composition of the oldest stars!**

Testing the Big Bang Idea

Big Bang Nucleosynthesis

- production of light elements in the early Universe
- **Remnant radiation from primeval fireball**
 - universal background radiation
- **Origin of Cosmic Structures**
 - formation of galaxies and huge superclusters in an expanding Universe

Discovery of the Big Bang



- Found strange radio radiation
- Pointed telescope in many directions and found same thing (cosmological principle)
- Thought it was pigeon poo
- Radiation was consistent with a blackbody at $T \sim 3 \text{ K}$


Discovery of the Big Bang




- Found strange radio radiation
- Pointed telescope in many directions and found same thing (cosmological principle)
- Thought it was pigeon poo
- Radiation was consistent with a blackbody at $T \sim 3 \text{ K}$

Won Nobel Prize in 1987!

The Universe was opaque until about 380,000 years




(a)



(b)

The Universe was opaque until about 380,000 years




Copyright © 2004 Pearson Education, publishing as Addison Wesley.

- Universe cooled down
- Hydrogen recombined
- Universe was transparent
- Exterior to star — light moves freely


- Universe was hot
- Hydrogen was ionized
- Universe was opaque
- Kind of like the interior of a star

At 380,000 years, Universe was a blackbody of $T = 3000\text{K}$




Cosmic Background Explorer (COBE)

Map of sky from COBE



- Launched in 1990 to observe CMB from space
- Found that the CMB is a blackbody to 1 part in 100,000)
- $T = 2.728 \text{ K}$

CMB observed by COBE is at a much lower temperature




A quiz question!

- *If the Universe was 3000 K (and emitted at infrared wavelengths) at 380,000 years of age, why is it now observed to be 2.73 K (microwave)?*

Can again address the “edge” of the Universe

- **The Edge (or Horizon)**

- back in space = back in time
- beyond ~14 billion light years → no stars, but CMB
- is this a physical edge? No
- viewed from anywhere, $R_{\text{univ}} = 14$ billion ly



Opaque

Testing the Big Bang Idea

Big Bang Nucleosynthesis

- production of light elements in the early Universe

Remnant radiation from primeval fireball


- universal background radiation

• Origin of Cosmic Structures

- formation of galaxies and huge superclusters in an expanding Universe


The CMB is remarkably uniform!

Map of sky from COBE




Confirms the cosmological principle that the Universe is homogenous and isotropic

But, if we look closer at the COBE data...




- Differences at the 0.3 mK level
- Not quite a blackbody! (but still very close)



From COBE to WMAP


(1992) (2010)



WMAP - Wilkinson Microwave Anisotropy Probe



From COBE to WMAP

(1992) (2010)




WMAP - Wilkinson Microwave Anisotropy Probe

The “scale” of ‘bumps’ is not uniform...




From WMAP to Planck

(2010) (2013)





From WMAP to Planck



(2010) (2013)




Further refinement!




Further refinement!



Further refinement!




What are these fluctuations?




- On **VERY** small scales, quantum mechanics dominates
- Quantum mechanics states that energy can fluctuate randomly on these small scales
- In the CMB, these fluctuations are manifested as temperature and density variations

Small scale fluctuations get amplified by *Inflation*

- $t \sim 10^{-37}$ sec
 - gravity repulsive
 - brief accelerated expansion
- **before inflation:** all points in space could communicate
- **after inflation:** too distant for further contact



size of ripple before inflation = size of atomic nucleus




size of ripple after inflation = size of solar system



Small scale fluctuations get amplified by ***Inflation***


Small scale fluctuations get amplified by *Inflation*

Photons




Small scale fluctuations get amplified by *Inflation*

Photons




Not to scale....




Small scale fluctuations get amplified by *Inflation*

- $t \sim 10^{-37}$ sec
 - gravity repulsive
 - brief accelerated expansion
- **before inflation:** all points in space could communicate
- **after inflation:** too distant for further contact




size of ripple before inflation = size of atomic nucleus




size of ripple after inflation = size of solar system



Regions of higher density begin to collapse



These fluctuations become the seeds of superclusters



Testing the Big Bang Idea

Big Bang Nucleosynthesis

- production of light elements in the early Universe

Remnant radiation from primeval fireball

- universal background radiation

Origin of Cosmic Structures

- formation of galaxies and huge superclusters in an expanding Universe
- (requires an epoch of “Cosmic Inflation” at very early times)

Testing the Big Bang Idea

Big Bang Nucleosynthesis

- production of light elements in the early Universe

Remnant radiation from primeval fireball


- universal background radiation

Origin of Cosmic Structures

- formation of galaxies and huge superclusters in an expanding Universe
- (requires an epoch of “Cosmic Inflation” at very early times)

What exactly this “inflation” is is still somewhat mysterious!

Summary so far (in one picture)



Summary so far (in one picture)

